



## BC Lake Stewardship and Monitoring Program

# Calling Lake 2005

A partnership between the BC Lake Stewardship Society (BCLSS)  
and the Ministry of Environment



## The Importance of Calling Lake & its Watershed

British Columbians want lakes to provide good water quality, aesthetics, and recreational opportunities. When these features are not apparent in our local lakes, people begin to wonder why. Concerns often include whether the water quality is getting worse, if the lake has been impacted by land development or other human activities, and what conditions will result from more development within the watershed.

The BC Lake Stewardship Society (BCLSS), in collaboration with the Ministry of Environment, has designed a program, entitled *The BC Lake Stewardship and Monitoring Program*, to address these concerns. Through regular water sample collections, we can come to understand a lake's current water quality, identify the preferred uses for a given lake, and monitor water quality changes resulting from land development within the lake's watershed. There are different levels of lake monitoring and assessment. The level appropriate for a particular lake depends on the funding and human resources available. In some cases, data collected as part of a Level I or II program can point to the need for a more in-depth Level III program. This report gives the results of a Level I program for Calling Lake for the first year of monitoring.

The BCLSS can provide communities with both lake-specific monitoring results and educational materials on general lake protection issues. This useful information can help communities play a more active role in the protection of the lake resource. Finally, this program allows government to use its limited resources efficiently with the help of local volunteers and BCLSS. Thanks to the efforts of 2 dedicated volunteers at Calling Lake, frequent water clarity (Secchi disk) and temperature readings were taken from the lake beginning in May 2005 and continuing until early November.

A **watershed** is defined as the entire area of land that moves the water it receives into a common waterbody. The term watershed is misused when describing only the land immedi-

ately around a waterbody or the waterbody itself. The true definition represents a much larger area than most people normally consider.

Watersheds are where much of the hydrologic cycle occurs and play a crucial role in the purification of water. Although no "new" water is ever made, it is continuously recycled as it moves through watersheds and other hydrologic compartments. The quality of the water resource is largely determined by a watershed's capacity to buffer impacts and absorb pollution.

Every component of a watershed (vegetation, soil, wildlife, etc.) has an important function in maintaining good water quality and a healthy aquatic environment. It is a common misconception that detrimental land use practices will not impact water quality if they are kept away from the area immediately surrounding a waterbody. Poor land use practices in a watershed can eventually impact the water quality of the downstream environment.



Calling Lake is located approximately 22 km south-east of Logan Lake and only 8 km from the open pit of Highland Valley Copper Mine. The lake has a surface area of 29.9 ha and lies at an elevation of 1610 m. The maximum depth of Calling Lake is 8.2 m. The lake contains rainbow trout which are stocked annually.

Logging along the entire shoreline in 1984 has resulted in a limited riparian area on the lake. Scattered patches of sedge and grasses within the riparian area are impacted by cattle grazing. An earthen dam, constructed to store water for irrigation purposes by the Cook's Ferry Indian Band, is located on the west side of the lake. The lake has two campsites, a user-maintained Forest Service Recreation site on the west end at the dam and another on the north shore approximately one-third of the way down the lake. Calling Lake is considered to have good recreational values.

# What's Going on Inside Calling Lake?

## Temperature


Lakes show a variety of annual temperature patterns based on their location and depth. Most interior lakes, such as Calling Lake, form layers (stratify), with the coldest water at the bottom. Because colder water is more dense, it resists mixing into the warmer upper layer for much of the summer. In spring and fall, these lakes usually mix from top to bottom (overturn) as wind energy overcomes the reduced temperature and density differences between surface and bottom waters. In the winter, lakes re-stratify under ice with the densest water (4°C) near the bottom. These lakes are called dimictic lakes because they turn over twice per year. They are the most common type of lake in British Columbia.

Coastal lakes in BC are more often termed warm monomictic lakes because they turn over once per year. These lakes have temperatures that do not fall below 4°C. Warm monomictic lakes generally do not freeze and circulate freely in the winter at or above 4°C, and stratify only in the summer.

Ice-on and ice-off dates for BC lakes are important data for climate change research. Local residents report that Calling Lake freezes every year. By comparing these dates to climate change trends, we can examine how global warming is affecting our lakes.

Surface temperature readings serve as an important indicator of the effects of climate change. By measuring surface temperature, we can record and compare readings from season to season and year to year. Surface temperature also helps to determine much of the seasonal oxygen, phosphorus, and algal conditions.

Temperature and Secchi depth were measured at one location on Calling Lake. The adjacent graph illustrates the Calling Lake Secchi depth and temperature for 2005. The maximum surface temperature was 16.0°C (August 20<sup>th</sup>) and the minimum surface temperature was 8.0°C (October 5<sup>th</sup>).




## Trophic Status and Water Clarity

The term *trophic status* is used to describe a lake's level of productivity and depends on the amount of nutrients available for plant growth, including tiny floating algae called phytoplankton. Phytoplankton are important to the overall ecology of the lake because they are food for zooplankton, which in turn are food for other organisms, including fish. In most lakes, phosphorus is the nutrient in shortest supply and thus acts to limit the production of aquatic life. When in excess, phosphorus accelerates growth and may artificially age a lake. Total phosphorus (TP) in a lake can be greatly influenced by human activities.

One measure of productivity is water clarity. The more productive a lake, the higher the algal growth and, therefore, the less clear the water becomes. The clarity of the water can be evaluated by using a Secchi disk, a black and white disk that measures the depth of light penetration.

Natural variation and trends in Secchi depth and temperature not only occur between years, but also throughout one season. For example, the above graph indicates that as temperature increases during the summer months, the Secchi depth decreases (with the exception of the June 18<sup>th</sup>, June 25<sup>th</sup>, August 5<sup>th</sup> and 20<sup>th</sup> readings). As the temperature of the lake increases, so do some species of algae. Due to the increase in algae, the water clarity decreases. Further monitoring of the lake will provide a better interpretation of data.



The lower graph illustrates that the highest Secchi reading recorded was 4 m and the lowest reading was 2.5 m. The average Secchi reading for Calling Lake was 3.4 m. A single summer of Secchi depth provides only a *snapshot* of water quality

within a lake. In order to get an overall idea of the health of an individual lake, the Secchi disk readings should be compared consistently over a number of years.

The flushing rate is another factor that affects water quality. The flushing rate is the rate of water replacement in a lake. The flushing rate depends on the amount of inflow and outflow of a lake. The higher the flushing rate, the more quickly excess nutrients can be removed from the system. There is no flushing rate data available for Calling Lake.

## Land Use and Pollution Sources

Human activities that impact water bodies range from small, widespread and numerous *non-point* sources throughout the watershed to large *point* sources of concentrated pollution (e.g. outfalls, spills, etc.). Undisturbed watersheds have the ability to purify water and repair small amounts of damage from pollution and alteration. However, modifications to the landscape and increased levels of pollution impair this ability.


The Ministry of Environment believes the area immediately surrounding Calling Lake is likely to have the most influence on the lake's water quality. Cattle grazing, timber harvesting & possibly the Highland Valley Open Pit Copper Mine may impact the water quality of Calling Lake. Lake users are encouraged to follow good environmental practices. Further information can be found on the following page.

## Should Further Monitoring be Done on Calling Lake?

The Ministry of Environment recommends a minimum of three years of monitoring to establish a water quality baseline. This time frame is preferred because if data is collected for only one or two years, there is the risk of only sampling during atypical weather or other environmental conditions that would not reflect the true nature of the water. In other words, three years of data helps take into account annual changes in local climate. Therefore, three years of consistently collected data is beneficial.

Local volunteer monitors are encouraged to record ice-on and ice-off dates for long term climate change records. This information is important for climate change research. If these dates have been recorded in the past, please send the information to BCLSS so that it can be incorporated into climate change studies..

### Calling Lake Map



# Tips to Keep Lakes Healthy

## Camping & Recreation

- Ensure black and grey water are contained and disposed of at a sanitation station.
- When washing yourself or your dishes, dip water out of the lake, using a clean container, and move 30 m away.
- Dispose of used water by throwing it over a large area, away from your site, the sites of others, or flowing or standing water.
- Use phosphate-free, biodegradable soaps.
- If you pack it in - pack it out. Remove all garbage, including biodegradable scraps.
- Ensure all vehicles are well maintained and tuned to prevent fuel leaks.

## Agriculture

- Locate confined animal facilities away from waterbodies. Divert incoming water and treat outgoing effluent from these facilities.
- Limit the use of fertilizers and pesticides.
- Construct adequate manure storage facilities.
- Do not spread manure during wet weather, on frozen ground, in low-lying areas prone to flooding, within 3 m of ditches, 5 m of streams, 30 m of wells or on land where runoff is likely to occur.
- Install barrier fencing to prevent livestock from grazing on streambanks.
- If livestock cross streams, provide gravelled or hardened access points.
- Provide alternate watering systems, such as troughs, dugouts, or nose pumps for livestock.
- Maintain or create a buffer zone of vegetation along a streambank, river or lakeshore and avoid planting crops right up to the edge of a Waterbody.

## Boating

- Do not throw trash overboard or use lakes or other water bodies as toilets.
- Use biodegradable, phosphate-free cleaners instead of harmful chemicals
- Conduct major maintenance chores on land.
- Keep motors well maintained and tuned to prevent fuel and lubricant leaks.
- Use absorbent bilge pads for minor leaks or spills.
- Recycle used lubricating oil and left over paints.
- Check for and remove all aquatic plant fragments from boats and trailers before entering or leaving a lake.
- Do not use metal drums in dock construction. They rust, sink and become unwanted debris. Use Styro foam or washed plastic barrel floats. All floats should be labelled with the owner's name, phone number and confirmation that barrels have been properly maintained.
- Fuel boats on shore rather than on the water.

# Who to Contact for More Information

## Ministry of Environment

1259 Dalhousie Drive  
Kamloops, BC V2E 1Y6  
Phone: (250) 371-6287  
Fax: (250) 828-4000

## Calling Lake:

Contact: Les Bolen  
Box 812  
Ashcroft, BC V0K 1A0

## The BC Lake Stewardship Society

#4—552 West Ave,  
Kelowna, BC V1Y 4Z4

Phone: (250) 717-1212  
Toll Free: 1-877-BC-LAKES  
Fax: (250) 717-1226  
Email: [bclss@hotmail.com](mailto:bclss@hotmail.com)  
Website: [www.bclss.org](http://www.bclss.org)

# Acknowledgements

## Volunteer Monitoring by:

Les & Jackie Bolen

## Data Compiling by:

Carolyn Johns (BC Lake Stewardship Society)

## Brochure Produced by:

BC Lake Stewardship Society

## Photo Credit:

Ministry of Environment—Kamloops, BC